(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization International Bureau



(43) International Publication Date 19 September 2002 (19.09.2002)

(51) International Patent Classification7:

PCT

(10) International Publication Number WO 02/071876 A1

- 31/00
- (21) International Application Number: PCT/GB01/04784
- (22) International Filing Date: 29 October 2001 (29.10.2001)
- (25) Filing Language:

English

A41D 19/00,

(26) Publication Language:

English

(30) Priority Data: 0105797.5

9 March 2001 (09.03.2001) Gi

- (71) Applicant (for all designated States except US): CK EUROPEAN SAFETY EQUIPMENT LIMITED [GB/GB]; 339 London Road, Bexhill on Sca, East Sussex TN39 4AJ (GB).
- (72) Inventor; and
- (75) Inventor/Applicant (for US only): CONNOR, Dennis, Frederick [GB/GB]; 11 SOuthcourt Avenue, Bexhill-on-Sca, East Sussex TN39 3AJ (GB).
- (74) Agents: FRY, Alan, Valentine et al.; Fry Heath & Spence, The Old College, 53 High Street, Horley, Surrey RH6 7BN (GB).

- (81) Designated States (national): AF, AG, AI., AM, AT, AII, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DH, DK, DM, DZ, HC, HB, HS, H, GB, GD, GH, GH, GM, IIR, IIU, ID, II., IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GII, GM, KF, I.S., MW, MZ, SD, SI., SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AI, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: GLOVES

(57) Abstract: A glove produced form a plastics material containing an evenly dispersed quantity of electro-magnetically detectable particles.

02/071876 A1



GLOVES

This invention relates to gloves and more especially to gloves whose presence can be detected electro-magnetically.

The wearing of gloves by operatives in manufacturing industries, such as pharmaceutical, food and tobacco industries, is important to protect products from contamination and to preserve the required high standards of hygiene and cleanliness. A consequence of this is that a glove or a relatively small piece of a glove caused, for example, by the glove snagging or being torn, may become detached from an operative's glove and be mixed with products being manufactured.

To meet this problem, it is accepted practice that operatives' gloves should be coloured blue and it is now a requirement in many countries that this procedure be followed so that gloves can be detected visually. Visual detection is not foolproof, particularly where small glove pieces are concerned.

Electro-magnetic inspection of products leaving a production line is undertaken as a matter of course in many industries. Such inspections enable metal-based foreign bodies present in otherwise non-metallic products to be detected. In this way, contaminated products can be selectively discarded. Operatives' gloves are generally produced from a polymeric substance (e.g. a plastisol) and their presence in a product would not at present be detected other than by visual inspection.

One object of the present invention is to provide a glove for use by operatives on, for example, manufacturing production lines which can be detected electro-magnetically in the event that it or a part thereof becomes mixed with products during the manufacturing process.

According to the present invention in one aspect, there is provided a glove produced from a plastics material containing an evenly dispersed quantity of electromagnetically detectable particles.

The plastics material may be a plastisol such a natural latex, acrylonitrile-butadiene (nitrite) or polyvinylchloride (pvc). Typically, the gloves are produced by a process in which a glove-shaped former is immersed for a relatively short period of time in a solution of the plastics material. The solution may also include various additives such as stabilisers, accelerators and fillers. To produce a single glove, the former may be sequentially immersed two or more times.

In another aspect, there is provided a glove which includes an evenly dispersed quantity of a magnetically detectable material in particulate form.

The electro-magnetically detectable material is preferably in powder form, the average particle size of the powder preferably being between 1 and 200 microns. Typically, the average particle size is in the range 50 to 200 microns, preferably between 50 and 100 microns.

The electro-magnetically detectable material is preferably a ferrous material, more preferably ferrous oxide typically comprising γFe₂O₃. The material may consist solely of a single metallic substance e.g. a ferromagnetic or ferrimagnetic material, or it may comprise a mixture of two or more different electro-magnetically detectable materials including an iron-containing powder. Alternatively, the material may comprise a bronze alloy of copper with aluminium, manganese or beryllium. The alloy may be an alloy of copper and tin and may include other metals such as zinc or lead.

The electro-magnetically detectable powder is preferably mixed with the liquid plastisol to produce a relatively homogenous mix and the quantity of powder added preferably represents between 3% and 6% by volume of the mix. Typically, the quantity is of the order of 5% by volume. Homogenous distribution of the electro-magnetically detectable material allows even small fragments of a glove to be detected with conventional electro-magnetically operating detection equipment.

When the electro-magnetically detectable material is in powder form, then its type and particle size is preferably such as to be detectable in the frequency range 50 kHz to 600 kHz, which is a frequency range that is employed by conventional detection equipment. As

mentioned, the particle size of the majority of the powder is preferably below 200 microns, and would usually be above 1 micron. More preferably the particle size of the majority of the powder is in the range 50 to 200 microns and most preferably it is in the range 50 to 100 microns.

In use, the intimate presence of the electro-magnetically detectable powder within the glove material is sufficient to activate conventional detection equipment in the event that a glove or a relatively small part of a glove is present in manufactured products leaving a production line as set out in the appended claims.

It will be appreciated that the foregoing is merely exemplary of gloves in accordance with the invention and that modifications can readily be made thereto without departing from the true scope of the invention.

CLAIMS

- A glove produced from a plastics material containing an evenly dispersed quantity
 of electromagnetically detectable particles.
- 2. A glove as claimed in claim 1 wherein the plastics material is a plastisol.
- A glove as claimed in claim 2 which the plastisol is natural latex, acrylonitrilebutadiene or polyvinylchloride.
- A glove of essentially plastics material which includes an evenly dispersed quantity
 of a magnetically detectable material in particulate form.
- 5. A glove as claimed in claim 4 wherein the electro-magnetically detectable material is in powder form, the average particle size of the electro-magnetically detectable powder being between 1 and 200 microns.
- 6. A glove as claimed in claim 5 wherein the average particle size is in the range 50 to 200 microns.
- 7. A glove as claimed in claim 6 wherein the average particle size is in the range of 50 and 100 microns.
- A glove as claimed in any one of the preceding claims wherein the composition of the electro-magnetically detectable particles includes a ferrous material.
- 9. A glove as claimed in claim 8 wherein the ferrous material is an oxide of iron.
- 10. A glove as claimed in claim 9 wherein the material is ferrous oxide.
- 11. A glove as claimed in claim 10 wherein the ferrous oxide is γFe₂O₃.

- 12. A glove as claimed in any one of claims 1 to 11 wherein the composition of the particles comprises a mixture of two or more different electro-magnetically detectable materials.
- 13. A glove as claimed in any one of claims 1 to 7 wherein the composition of the electro-magnetically detectable material comprises a bronze alloy of copper with aluminium, manganese or beryllium.
- 14. A glove as claimed in claim 13 wherein the alloy is an alloy of copper and tin.
- 15. A method of producing a glove as claimed in any one of the preceding claims wherein the electro-magnetically detectable particles or powder is mixed with a liquid plastisol to produce a relatively homogenous mix, the quantity of electromagnetic powder or particles added to the liquid plastisol representing between 3% and 6% by volume of the mix.
- 16. A method as claimed in claim 15 wherein the quantity is of the order of 6% by volume.

A. CLASSIFICATION OF SUBJECT MATTER IPC 7 A41D19/00 A41D31/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Mthimum documentation searched (classification system followed by classification symbols) IPC 7 A41D A61B F16L G01V B29V A61F B29C

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, PAJ

Category °	ENTS CONSIDERED TO BE RELEVANT Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X Y Y	US 5 922 482 A (DE RICCI SOPHIE ET AL) 13 July 1999 (1999-07-13) column 1, line 4 - line 22 column 1, line 62 -column 2, line 8 column 2, line 16 - line 18 column 4, line 61 - line 67 column 6, line 6 column 6, line 64 - line 65 column 7, line 32 - line 35; claims 1,3 US 5 051 034 A (GOODMAN WILLIAM L) 24 September 1991 (1991-09-24)	1-11 12,15,16 12
	24 September 1991 (1991 05 24) column 3, line 6 - line 20 column 6, line 9 - line 21 -/	

Further documents are listed in the continuation of box C.	<u> </u>
Special categories of cited documents: 'A' document defining the general state of the art which is not considered to be of particular relevance 'E' earlier document but published on or after the international filling date 'L' document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) 'O' document referring to an oral disclosure, use, exhibition or other means 'P' document published prior to the international filling date but later than the priority date claimed	 "T" later document published after the international filling date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention. "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone. "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person sidiled in the art. "&" document member of the same patent family
Date of the actual completion of the international search	Date of mailing of the international search report
18 January 2002	25/01/2002
Name and mailing address of the ISA	Authorized officer
European Patent Office, P.B. 5818 Patentlaan 2 NL 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Monné, E

C.(Continua	tion) DOCUMENTS CONSIDERED TO BE RELEVANT	
Category °		Relevant to claim No.
Υ .	US 4 937 995 A (DEFFEYES ROBERT J ET AL) 3 July 1990 (1990-07-03) column 2, line 40 - line 52 column 8, line 13 - line 40; claims 11,15,16	15,16
A .	US 4 918 754 A (LEATHERMAN ALFRED F ET AL) 24 April 1990 (1990-04-24) column 2, line 34 - line 35 column 3, line 55 - line 57 column 4, line 26 - line 50	16
A	FR 2 078 861 A (GREENBERG IRVING) 5 November 1971 (1971-11-05) page 2, line 11 - line 28 page 2, line 34 page 2, line 37 page 4, line 20 - line 23 page 4, line 31 - line 32; claims 3,5	4,8

INTERNATION SEARCH REPORT

ħ	ittonal	4	ion No	
PC	T/GB	0170	4784	

Patent document cited in search report		Publication date	Patent family member(s)		Publication date
US 5922482	A	13-07-1999	FR DE EP ES	2741160 A1 773455 T1 0773455 A1 2103250 T1	16-05-1997 20-11-1997 14-05-1997 16-09-1997
US 5051034	A	24-09-1991	US US	RE34701 E 5036210 A	23-08-1994 30-07-1991
US 4937995	A	03-07-1990	NONE		
US 4918754	A	24-04-1990	NONE		
FR 2078861	A	05-11-1971	FR	2078861 A5	05-11-1971